

Figure 1




Figure 2




Figure 3


400



Layer 2	<u>402</u>
IP	<u>404</u>
UDP	<u>406</u>
RTP	<u>408</u>
Data	<u>410</u>
Trailer (optional)	<u>412</u>

**Figure 4**

09690077 101600



**Figure 5**




Figure 6

09690077 101600

Byte 1
Byte 2
Byte 3
Byte n

**Figure 7**

009T01 4006960




Figure 8a




Figure 8b



Byte 1, First TS	Byte 1, Second TS	Byte 1, Third TS		Byte 1, m TS
Byte 2, First TS	Byte 2, Second TS	Byte 2, Third TS		Byte 2, m TS
Byte 3, First TS	Byte 3, Second TS	Byte 3, Third TS		Byte 3, m TS
Byte 4, First TS	Byte 4, Second TS	Byte 4, Third TS		Byte 4, m TS
Byte 5, First TS	Byte 5, Second TS	Byte 5, Third TS		Byte 5, m TS
Byte n, First TS	Byte n, Second TS	Byte n, Third TS		Byte n, m TS

Figure 9




Figure 10

# VC-12 Frame Structure




Figure 11




Figure 12




Figure 13




Figure 14




Figure 15




Figure 16






Figure 17




Figure 18a

